

To submit a new prescription via eRx, use NPI 1902298805. Faxed prescriptions will only be accepted from prescribing practitioners. Patients may not submit prescriptions via fax and must submit original copies in person or via the mail. Prescribers are reminded patients may choose any pharmacy of their choice.

PATIENT INFORMATION	Patient: _____ Member ID _____ Caregiver: _____
	DOB: _____ <input type="checkbox"/> Male <input type="checkbox"/> Female Weight: _____ <input type="checkbox"/> kgs or <input type="checkbox"/> lbs (check one) Height _____ <input type="checkbox"/> in or <input type="checkbox"/> cm (check one) Recorded Date: _____
	Address: _____ City: _____ State: _____ Zip: _____
	Best Phone #: _____ <input type="checkbox"/> Cell Alternate Phone #: _____ <input type="checkbox"/> Cell Email: _____
	Allergies: _____ Latex Allergy: <input type="checkbox"/> Yes <input type="checkbox"/> No
ICD-10 Code for requested therapy: _____ ICD-10 Code(s) for other medical conditions: _____	

PLEASE FAX COPY OF ALL INSURANCE CARDS (FRONT & BACK) INCLUDING MEDICAL AND PRESCRIPTION

MEDICAL ASSESSMENT	G35 Date of first demyelinating event: ____/____/____
	Type: <input type="checkbox"/> Clinically Isolated Syndrome <input type="checkbox"/> Relapsing-remitting <input type="checkbox"/> Secondary-progressive <input type="checkbox"/> Primary-progressive <input type="checkbox"/> Progressive-relapsing
	Please provide clinical rationale for prescribing this agent (if not preferred formulary agent):
	Prior therapies: _____ Reason for discontinuation: _____
	Therapy: <input type="checkbox"/> New <input type="checkbox"/> Reauthorization Other: _____
Has pregnancy been excluded? (check one) <input type="checkbox"/> No <input type="checkbox"/> Yes (check one)	
First dose observation date (anticipated/complete: ____/____/____ TB test date: ____/____/____ Result _____	

PLEASE PROVIDE ALL CLINICAL INFORMATION INCLUDING LAB RESULTS ON ALL FORMS

PRESCRIPTION INFORMATION	MEDICATION	DOSE/STRENGTH	DIRECTIONS	QUANTITY	REFILLS
	Aubagio® (teriflunomide) <input type="checkbox"/> Enroll in MS One to One®	<input type="checkbox"/> 14mg tablet <input type="checkbox"/> 7mg tablet	<input type="checkbox"/> Take 1 tablet by mouth daily	<input type="checkbox"/> 30-day supply	_____
	Avonex® (interferon beta-1a) <input type="checkbox"/> Enroll in Above MS™	<input type="checkbox"/> 30mcg Prefilled Syringe 25G 1" Needles <input type="checkbox"/> 30mcg Avonex Pen (single dose)	<input type="checkbox"/> Inject 30mcg intramuscularly every week	<input type="checkbox"/> 4-week supply (1 kit)	_____
	Betaseron® (interferon beta-1b) <input type="checkbox"/> Enroll in BETAPLUS®	0.3mg	<input type="checkbox"/> Inject 0.25mg (1ml) Sub-Q every other day <input type="checkbox"/> Dose Titration: • Weeks 1-2: Inject 0.0625mg/0.25ml Sub-Q QOD • Weeks 3-4: Inject 0.125mg/0.50ml Sub-Q QOD • Weeks 5-6: Inject 0.1875mg/0.75 Sub-Q QOD • Weeks 7+: Inject 0.25mg/1ml Sub-Q QOD <input type="checkbox"/> Other: _____	<input type="checkbox"/> 28-day supply (1 kit of 14 vials) <input type="checkbox"/> Other: _____	_____
	Copaxone® (glatiramer) <input type="checkbox"/> Enroll in Shared Solutions® <input type="checkbox"/> Enroll in Mylan MS ADVOCATE®	<input type="checkbox"/> 20mg Prefilled Syringe <input type="checkbox"/> 40mg Prefilled Syringe	<input type="checkbox"/> Inject 20mg Sub-Q daily <input type="checkbox"/> Inject 40mg Sub-Q 3 times weekly	<input type="checkbox"/> 30-day supply (1 kit)	_____
	Extavia® (interferon beta-1b) <input type="checkbox"/> Enroll in EXTAVIA®go	0.3mg	<input type="checkbox"/> Inject 0.25mg (1ml) Sub-Q every other day <input type="checkbox"/> Dose Titration: • Weeks 1-2: Inject 0.0625mg/0.25ml Sub-Q QOD • Weeks 3-4: Inject 0.125mg/0.50ml Sub-Q QOD • Weeks 5-6: Inject 0.1875mg/0.75 Sub-Q QOD • Weeks 7+: Inject 0.25mg/1ml Sub-Q QOD <input type="checkbox"/> Other: _____	<input type="checkbox"/> 30-day supply (1 kit)	_____

PRESCRIPTION INFORMATION	MEDICATION	DOSE/STRENGTH	DIRECTIONS	QUANTITY	REFILLS
	Gilenya™ (fingolimod) <input type="checkbox"/> Enroll in Gilenya® Go	<input type="checkbox"/> 0.25 mg <input type="checkbox"/> 0.5 mg	<input type="checkbox"/> Take one 0.25 mg capsule every day <input type="checkbox"/> Take one 0.5 mg capsule every day	<input type="checkbox"/> 28-day supply <input type="checkbox"/> 30-day supply <input type="checkbox"/> Other: _____	_____
	Glatopa™ (glatiramer) <input type="checkbox"/> Enroll in GlatopaCare®	<input type="checkbox"/> 20mg Prefilled Syringe <input type="checkbox"/> 40mg Prefilled Syringe	<input type="checkbox"/> Inject 20mg Sub-Q daily <input type="checkbox"/> Inject 40mg Sub-Q 3 times weekly	30-day supply (1 kit)	_____
	Rebif® (interferon beta-1a) <input type="checkbox"/> Enroll in MSLifelines®	<input type="checkbox"/> Titration Pack (six 8.8mcg & six 22mcg prefilled syringes) <input type="checkbox"/> 22mcg Prefilled Syringe <input type="checkbox"/> 44mcg Prefilled Syringe <input type="checkbox"/> Titration Pack Rebidose® (six 8.8 mcg pre-filled autoinjectors and six 22 mcg pre-filled autoinjectors) <input type="checkbox"/> Rebidose® 22mcg Prefilled Autoinjector <input type="checkbox"/> Rebidose® 44mcg Prefilled Autoinjector	<input type="checkbox"/> Inject 8.8mcg Sub-Q three times a week weeks 1-2, 22mcg Sub-Q three times a week weeks 3-4, and 44mcg Sub-Q three times a week weeks 5+ <input type="checkbox"/> Inject 44mcg Sub-Q three times a week <input type="checkbox"/> Other: _____	<input type="checkbox"/> 4-week supply (1 kit) <input type="checkbox"/> Other: _____	_____
	Other				_____

LIMITED DISTRIBUTION DRUGS	MEDICATION	DOSE/STRENGTH	DIRECTIONS	QUANTITY	REFILLS
	Ampyra® (dalfampridine ER) <input type="checkbox"/> Enroll in AMPYRA Patient Support Services	<input type="checkbox"/> 10mg ER tablet	<input type="checkbox"/> Take 1 tablet (10mg) every 12 hours	<input type="checkbox"/> 30-day supply	_____
	Lemtrada® (alemtuzumab) <input type="checkbox"/> Enroll in MS One to One®	<input type="checkbox"/> 12mg/1.2mL Single Dose Vial	<input type="checkbox"/> Infuse 12mg IV daily for 5 consecutive days <input type="checkbox"/> Infuse 12mg IV daily for 3 consecutive days	<input type="checkbox"/> 5-day supply <input type="checkbox"/> 3-day supply	_____
	Mavenclad® (cladribine) <input type="checkbox"/> Enroll in MSLifelines®	<input type="checkbox"/> 10mg tablet	<input type="checkbox"/> Please attach separate prescription		_____
	Mayzent® (siponimod) <input type="checkbox"/> Enroll in Alongside MS™	<input type="checkbox"/> 0.25mg tablet <input type="checkbox"/> 2mg tablet	<input type="checkbox"/> Please attach separate prescription		_____
Ocrevus™ (ocrelizumab) <input type="checkbox"/> Enroll in OCREVUS CONNECTS®	<input type="checkbox"/> 300mg/10mL Single Dose Vial	<input type="checkbox"/> Infuse 300mg IV as a single dose, followed by 300mg IV infusion 2 weeks later <input type="checkbox"/> Infuse 600mg IV every 6 months	<input type="checkbox"/> 2 vials	_____	

		MEDICATION	DOSE/STRENGTH	DIRECTIONS	QUANTITY	REFILLS
LIMITED DISTRIBUTION DRUGS	<input type="checkbox"/> Enroll in Above MS™	Plegridy™ (peginterferon beta-1a)	<input type="checkbox"/> 125mcg Prefilled Syringe <input type="checkbox"/> 125 mcg Plegridy Pen <input type="checkbox"/> Plegridy Pen starter pack (One 63mcg and one 94mcg) <input type="checkbox"/> Starter Pack prefilled syringes (One 63mcg and one 94mcg)	<input type="checkbox"/> Inject 125mcg Sub-Q every two weeks <input type="checkbox"/> Dose titration: Inject <ul style="list-style-type: none"> • 63mcg SUB-Q on day 1 • 94mcg SUB-Q on day 15 • 125mcg SUB-Q on day 29 	<input type="checkbox"/> 28-day supply (1 kit)	_____
	<input type="checkbox"/> Enroll in Above MS™	Tecfidera® (dimethyl fumarate)	<input type="checkbox"/> 30-Day Starter Pack (14 capsules of 120mg & 46 capsules of 240mg) <input type="checkbox"/> 120mg DR capsule <input type="checkbox"/> 240mg DR capsule	<input type="checkbox"/> Take 120mg by mouth 2 times daily for 7 days then 240mg by mouth 2 times daily <input type="checkbox"/> Take 240mg by mouth 2 times daily <input type="checkbox"/> Other: _____	<input type="checkbox"/> 30-Day Starter Pack <input type="checkbox"/> 30-day supply	_____
	<input type="checkbox"/> Enroll in Above MS™	Tysabri® (natalizumab)	<input type="checkbox"/> 300mg/15mL Single Dose Vial	<input type="checkbox"/> Infuse 300mg IV every 4 weeks	<input type="checkbox"/> 28-day supply	_____
		Other				_____

INJECTION TRAINING: OFFICE TO COORDINATE USSC TO COORDINATE

PRESCRIBER INFORMATION	Anticipated Start Date: _____ Prescriber Specialty: _____
	Ship to: <input type="checkbox"/> Patient <input type="checkbox"/> Physician <input type="checkbox"/> Clinic <input type="checkbox"/> Other: _____
	Fax #: _____ Contact Name: _____
	Office Address: _____ City: _____ State: _____ Zip: _____
	The terms and conditions posted at www.usspecialtycare.com have been read by the person signing this form and are incorporated into this document by reference. The data privacy terms posted at www.usspecialtycare.com have been read by the person signing this form and are incorporated into this document by reference.
	<input type="checkbox"/> I understand that USSC may transfer this prescription to another pharmacy as an agent of the prescriber if unable to dispense.
Prescriber's Name: _____ Prescriber's Signature: _____ Date: _____	
NPI: _____	
<input type="checkbox"/> Use substitution <input type="checkbox"/> Dispense as Written	
Prescriber's Signature: _____ Prescriber's Signature: _____	

Confidentiality Statement: This message is intended only for the individual or entity to which it is addressed. It may contain information which may be proprietary and confidential. It may also contain privileged, confidential information which is exempt from disclosure under applicable laws, including the Health Insurance Portability and Accountability Act (HIPAA). If you are not the intended recipient, please note that you are strictly prohibited from disseminating or distributing this information (other than to the intended recipient) or copying this information. If you received this communication in error, please notify the sender immediately by calling (800)-641-8475 to obtain instructions as to the proper destruction of the transmitted material.